




The
Patent
Office

PCT/GB 99 / 0 3 3 7 7

11 OCTOBER 1999
INVESTOR IN PEOPLE

GB 99/3377

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed


Dated

03 NOV 1999



Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

SMR/TLB/P73161

2. Patent application number

(The Patent Office will fill in this part)

9822626.9

17 OCT 1998

3. Full name, address and postcode of the or of each applicant (underline all surnames)

ELLIOTT Nicholas Paul
Shoestring
Woodford Mill
Ringstead
Kettering
Northants
NN14 4DU

ELLIOTT David William
Rosedeene
2 Coleman Street
Raunds
Northants NN9 6NJ

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

07534001001

07534019001

4. Title of the invention

VERIFICATION METHOD

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

URQUHART-DYKES & LORD
Midsummer House
411c Midsummer Boulevard
Central Milton Keynes
MK9 3BN

Patents ADP number (if you know it)

1644008 ✓

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

No

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

8

Claim(s)

3

Abstract

-

Drawing(s)

3 + 3

10. If you are also filing any of the following, state how many against each item.

Priority documents

-

Translations of priority documents

-

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

-

Request for preliminary examination and search (*Patents Form 9/77*)

1

Request for substantive examination (*Patents Form 10/77*)

-

Any other documents
(please specify)

-

11.

I/We request the grant of a patent on the basis of this application.

Signature

Urquhart-Dykes & Lord

Date

URQUHART-DYKES & LORD

16.10.98

12. Name and daytime telephone number of person to contact in the United Kingdom

Mr Simon Raynor
01908 666645

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it

VERIFICATION METHOD

The present invention relates to a verification method and in particular, but not exclusively, to a method of verifying products to ensure that they are genuine and not counterfeit. The invention also relates to a method of marking goods for verification purposes and to goods marked for verification purposes.

The problem of counterfeiting is enormous and affects a wide range of goods including, for example, pharmaceuticals and spare parts for aircraft. Counterfeiting is not only bad for the producer of genuine goods, resulting in lost sales and possible damage to reputation and goodwill, but can also result in danger to the public if the counterfeit goods are not up to the quality of the genuine goods. For example, counterfeit pharmaceuticals may be ineffective or contain harmful substances and counterfeit aircraft parts may fail during use.

The sophistication of counterfeiting methods is such that it is often difficult or impossible for the consumer, wholesaler, retailer, importer or distributor to tell whether the goods are genuine or counterfeit, and usually there is no way of verifying the authenticity of the goods.

It is an object of the invention to provide a verification method and a method of marking goods for verification purposes that mitigates at least some of the aforesaid problems.

According to the present invention there is provided a method of verifying the authenticity of goods, wherein:

- a set of public data and a security code are applied to the goods, said security code having been derived from said public data by means of a predetermined encryption algorithm;
- and, upon receiving a request for verification, the public data applied to the goods is entered into said predetermined encryption algorithm to generate a verification code, and said verification code is compared with the security code applied to the goods to assess the authenticity of goods.

The set of public data and the security code may be applied to the goods themselves or to packaging for the goods and the invention as defined by claim 1 is intended to include both of these possibilities.

5 The method allows the authenticity of the goods to be verified very quickly and simply, for example by means of a telephone call to the verifier. Counterfeiting of the goods is made very difficult by the fact that each goods item carries a unique security code number. The security code can be applied to the goods by ordinary printing processes at minimal cost. The need for expensive security devices such as holograms is avoided.

10 Advantageously, said security code is derived from said public data applied to the goods and private data held by the verifier and, upon receiving a request for verification, the public data applied to the goods and private data held by the verifier are entered into said predetermined encryption algorithm to generate a verification code, and said verification code is compared with the security code applied to the
15 goods to assess the authenticity of goods.

The verifier may be either the manufacturer or any other body authorised by the manufacturer and the term "verifier" as used in the claims is intended to include any such body.

20 The private data may be related to public data, for example to batch number, so enabling the verifier to assign different sets of private data to different batches of products. Then, when a request for verification is received, the verifier can select the appropriate set of private data for the particular goods for which verification has been requested.

25 The use of private data in addition to the public data applied to the goods increases the security of the encryption process, making it more difficult to counterfeit the goods.

Advantageously, said private data includes a plurality of private data sets and, upon receiving a request for verification, each private data set is entered into said predetermined encryption algorithm together with the public data applied to the goods

to generate a list of verification codes, and said list of verification codes is compared with the security code applied to the goods to assess the authenticity of goods.

Each set of private data may be unique for each goods item, enabling the item number to be identified. This can help the verifier to track the activities of counterfeiters.

- 5 The public data may include a batch number and/or date information, for example the expiry date or the manufacturing date and time.

The private data may include an item number, allowing the verifier to identify the goods item in question, or it may be a random or pseudo-random number.

- Advantageously, the public data and the private data is applied to the goods by means of a digital printing process and is incorporated into the design printed onto the goods.
10 This makes it more difficult for the goods to be counterfeited using plate-based printing techniques.

- Advantageously, the public data and the private data is incorporated into the design printed onto the goods as reversed out characters, blends or tints. This makes it more
15 difficult for the goods to be counterfeited using over-printing or over-coding techniques.

- According to a further aspect of the invention there is provided a method of marking goods to enable the authenticity of those goods to be verified, wherein a set of public data and a security code are applied to the goods, said security code having been
20 derived from said public data by means of a predetermined encryption algorithm.

According to a further aspect of the invention there are provided goods marked for verification purposes, each of said goods including a set of public data and a security code applied to the goods, said security code having been derived from said public data by means of a predetermined encryption algorithm.

- 25 Embodiments of the invention will now be described by way of example with reference to the accompanying drawings, in which:
-

Fig. 1 is a perspective view of a medicine packet that has been marked for verification purposes,

Fig. 2 represents schematically a method of marking goods for verification purposes, and

5 Fig. 3 represents schematically a method of verifying the marked goods.

An example of a product, in this case a medicine packet 2, that has been marked for verification purposes is shown in Fig. 1. In the usual way, the packet has been marked by the manufacturer with information such as the expiry date 4, which in this case includes both the date and a time, and a lot or batch number . This information, 10 which is printed on the packet in such a way that it can be read by the public, will be referred to hereinafter as the "public data" 8. This public data 8 may be either unique to each packet (for example, an item number may be included or the expiry date may include a time code based on the exact time of manufacture), or alternatively all packets manufactured in the same batch may carry identical public data.

15 In addition, the packet carries a security code 10. The security code 10 is unique to that packet and every packet therefore carries a different security code. The provision of a unique security code provides a first obstacle to counterfeiting, since printing different codes on each pack demands adaptable printing techniques and the provision of identical security codes on any two packets will immediately indicate that the goods 20 are not genuine.

The usual method of marking packets with information that varies from pack to pack, or from batch to batch, is to stamp or print that variable information onto pre-printed packets in a separate printing process. This process is known as over-coding. This method can be copied relatively easily by counterfeiters.

25 In the packet shown in Fig. 1, counterfeiting is made more difficult by using digital printing techniques to print both the design of the packet (including the product trade mark, any descriptive matter and any graphical elements) and the variable information in a single step. Many well known digital printing techniques may be employed, including for example the INDIGO (TM), XEIKON (TM) and SCITEX (TM)

processes. The advantage of using a digital printing process is that because printing takes place under digital electronic control, the printed image can be varied for each individual packet and can be incorporated into the overall design of the pack. This cannot readily be achieved with traditional plate-based printing processes, since a
 5 separate set of printing plates must be prepared for each different image.

Preferably, the variable information including the public data and the security code is incorporated into the design in such a way that would affect as many plates of a conventional printing process as possible. For example, in the packet shown in Fig. 1 the security code number 10 has been positioned to overlap areas of two different
 10 background colours. Further, the variable information has been incorporated into the design as "reversed out" characters, i.e. characters produced by leaving the shapes of those characters unprinted against a background of solid colour so that the base material shows through. This helps to prevent that information being added in a subsequent over-coding process. The effect of this process is illustrated in Fig. 1, the
 15 variable information 8,10 being shown as white characters on a coloured background. Alternatively, the characters may be printed as blends or tints, which are also difficult to reproduce using conventional printing processes.

The security code 10 applied to each packet is derived directly from unique information associated with each pack by means of a secret encryption algorithm. The
 20 security code 10 may be derived either from a combination of the public data 8 printed on the packet 2 and private data held by the manufacturer or an authorised verifying organisation, or alternatively it may be derived solely from the public data, if that data is unique. The processes for deriving and verifying the security codes applied to the packets are described below with reference to Figs. 2 and 3.

25 Fig. 2 illustrates schematically a process for deriving the security codes and applying them to the packets using a combination of the public data 8 printed on the packet 2 and private data 12 held by the manufacturer or an authorised verifying organisation. ~~The public data 8 consists for example of the batch number 6 and the expiry date 4.~~
 This data need not be unique. The private data 12 is not printed on the packet and
 30 is held either by the manufacturer or an authorised verifying organisation. The

private data 12 is unique and may represent, for example, the item number of each packet in a given batch, or may be a random or pseudo-random number.

The security code 10 for each packet is derived automatically during the printing process by subjecting the private data 12 and the public data 8 to an encryption process 14, such as a one-way hash function or a merge digest, as described in Applied Cryptography, second edition by Bruce Schneier, page 30, section 2.4 "one-way hash functions" (John Wiley & Sons, Inc., 1996) ISBN 0471117091. This generates a unique security code 10, which is printed onto the packet 2 together with the public data 8 by means of a digital printer 18.

10 No record is kept of the security codes 10. However, a data record 20 is kept of the public data 8 and the associated private data 12 used in the encryption process. This data record 20 is supplied to the verifying authority, for example on a floppy disk or by electronic data transfer.

The verification process is illustrated schematically in Fig. 3. The verifying authority, which may be the manufacturer or an outside body authorised by the manufacturer, uses an identical encryption algorithm 14 to that used during printing and is supplied with the data record 20 of public data 8 and private data 12. When the verifying authority receives a request for verification, for example from a member of the public who has purchased the goods, the requester is asked to provide the public data 8 printed on the packet 2. This public data 8 is entered into the encryption algorithm 14 together with the private data 12 associated with that public data 8, as retrieved from the data record 20. This generates a list 24 of possible verification codes and the private data associated with each of those codes.

The requester is then asked to provide the security code 10 printed on the packet 2 and this code 10 is compared 26 with the list 24 of verification codes generated by the encryption algorithm 14. If that security code 10 matches a verification code on the list 24, the authenticity of the goods is verified 28; if a match is not found, the authenticity of the goods is denied.

The verifier may keep a log 30 of all requests for verification, which stores the public and private data for each item that has been verified. During the verification step, the log 30 may be checked to see whether a request for verification has been received previously in respect of that item. If so, verification may be denied since this
5 suggests that the item has been copied.

The log 30 may also contain other information 32, for example the date and time of the request and the identity and geographical location of the requester. If two requests for verification are made for the same item, it may be possible to discount any likelihood of the item being counterfeit, for example if the requests are made first by
10 a retail pharmacist and subsequently by a customer of that pharmacist.

A request for verification may be made by post, fax or telephone or electronically, for example by accessing a Web Site.

As mentioned above, the security code 10 applied to each packet 2 may be derived solely from the public data 8 printed on the packet 2, if that data is unique. For
15 example, the public data may include a unique item number, the exact production time or a random number in addition to the normal batch number 6 and expiry date information 4. The security code 10 is derived directly from this combination of unique and non-unique data and by means of the encryption algorithm 14.

During the verification process, the requester provides the public data 8 printed on the
20 pack and this is entered into the encryption algorithm by the verifier, thereby generating a verification code. The requester then provides the security code 10 printed on the pack and, if this matches the verification code generated by the verifier, the authenticity of the goods is confirmed. If the security code provided by the requester does not match the verification code, authenticity is denied. As in the
25 process described above, a log may be kept of requests for verification and details of the requester.

~~The verification process is not limited to pharmaceuticals or to goods sold in printed~~
packs and is equally applicable to goods such as aircraft parts, on which the public data 8 and the security code 10 may be marked directly, for example by stamping.

In the case of goods sold in printed packs, the use of digital printing methods is not essential, although it is preferred as this provides certain additional advantages as discussed above.

5 It is not essential that the public data from which the security code is derived includes either the product batch number or date information. The public data may be entirely random or pseudo-random, or may be derived from the batch and item numbers, for example by means of a two-way algorithm.

10 The public data and the security code can also be amalgamated into a single number according to a predetermined algorithm. In order to verify the authenticity of the goods, the requester only has to provide that number. The verifier can automatically separate the public data from the security code and then use the public data extracted from that number to generate a verification code, which can then be compared with the security code extracted from the number provided on the goods. Verification can thus be achieved in a single step.

Claims

1. A method of verifying the authenticity of goods, wherein:
 - a set of public data and a security code are applied to the goods, said security code having been derived from said public data by means of a predetermined encryption algorithm;
 - and, upon receiving a request for verification, the public data applied to the goods is entered into said predetermined encryption algorithm to generate a verification code, and said verification code is compared with the security code applied to the goods to assess the authenticity of goods.
2. A method according to claim 1, wherein said security code is derived from said public data applied to the goods and private data held by the verifier and, upon receiving a request for verification, the public data applied to the goods and private data held by the verifier are entered into said predetermined encryption algorithm to generate a verification code, and said verification code is compared with the security code applied to the goods to assess the authenticity of goods.
3. A method according to claim 2, wherein said private data includes a plurality of private data sets and, upon receiving a request for verification, each private data set is entered into said predetermined encryption algorithm together with the public data applied to the goods to generate a list of verification codes, and said list of verification codes is compared with the security code applied to the goods to assess the authenticity of goods.
4. A method according to any one of the preceding claims, wherein the verifier maintains a log of requests for verification and, upon receiving a request for verification, compares the public data applied to the goods with the data held in the log to assess the authenticity of goods.
- ~~5. A method according to any one of the preceding claims, wherein the public data includes a batch number.~~

6. A method according to any one of the preceding claims, wherein the public data includes date information.
7. A method according to any one of the preceding claims, wherein the private data includes an item number.
- 5 8. A method according to any one of the preceding claims, wherein said public data and said private data is applied to the goods by means of a digital printing process and is incorporated into the design printed onto the goods.
9. A method according to claim 8, wherein said public data and said private data is incorporated into the design printed onto the goods as reversed out characters,
10 blends or tints.
10. A method marking goods to enable the authenticity of those goods to be verified, wherein a set of public data and a security code are applied to the goods, said security code having been derived from said public data by means of a predetermined encryption algorithm.
- 15 11. A method according to claim 10, wherein the public data includes a batch number.
12. A method according to claim 10 or claim 11, wherein the public data includes date information.
13. A method according to any one of claims 10 to 12, wherein said public data
20 and said private data is applied to the goods by means of a digital printing process and is incorporated into the design printed onto the goods.
14. A method according to any one of claims 10 to 13, wherein said public data and said private data is incorporated into the design printed onto the goods as reversed out characters, blends or tints.
- 25 15. ~~Goods marked for verification purposes, each of said goods including a set of~~
public data and a security code applied to the goods, said security code having been derived from said public data by means of a predetermined encryption algorithm.

16. Goods according to claim 15, wherein the public data includes a batch number.
 17. Goods according to claim 15 or claim 16, wherein the public data includes date information.
 18. Goods according to any one of claims 15 to 17, wherein said public data and
5 said private data is applied to the goods by means of a digital printing process and is incorporated into the design printed onto the goods.
 19. Goods according to any one of claims 15 to 18, wherein said public data and said private data is incorporated into the design printed onto the goods as reversed out characters, blends or tints.
 - 10 20. A method of verifying the authenticity of goods, said method being substantially as described herein with reference to and as illustrated by the accompanying drawings.
 21. A method marking goods to enable the authenticity of those goods to be verified, said method being substantially as described herein with reference to and as
15 illustrated by the accompanying drawings.
 22. Goods marked for verification purposes, said goods being substantially as described herein with reference to and as illustrated by the accompanying drawings.
-

COUNTERFIGHT

The security code number is derived by subjecting "public" data elements, and possibly in addition "private" data elements, known only to the manufacturer, to an encryption process. Reversing this process will establish the authenticity of the security code.

1/3

In this example, the security code is incorporated into the design in such a way as to affect as many of the printing plates as possible, making its reproduction by more traditional printing technologies virtually impossible. An example is shown here where the characters are "reversed out" of the background colour. Another method would be to fill the characters with a graduated tint of two colours.




Fig. 1

2/3




FIG.2




FIG. 3